




























Standard Anode Range – Weld On				L	W	D	CL
MA 1	Aluminium	1kg		215	75	35	290
MZ 2.6	Zinc	2.6kg					
MA 1.5	Aluminium	1.5kg		145	110	45	220
MZ 3.4	Zinc	3.4kg					
MA 2	Aluminium	2kg		300	80	40	400
MZ 5	Zinc	5kg					
MA 3	Aluminium	3kg		315	130	35	400
MZ 8	Zinc	8kg					
MA 5	Aluminium	5kg		320	135	50	400
MZ 12	Zinc	12kg					
MA 8	Aluminium	8kg		580	135	35	750
MZ20	Zinc	20kg					
MA 12	Aluminium	12kg		580	140	55	750
MZ25	Zinc	25kg					
MA 15	Aluminium	15kg		900	135	50	1100
MZ37	Zinc	37kg					
MA 20	Aluminium	20kg		900	140	65	1100
MZ50	Zinc	50kg					
MA 13T	Aluminium	12kg		1500	60	50	1800
MZ 28T	Zinc	27.5kg					

Holes can be drilled in the cores of the Weld On products to allow them to be bolted on.  
All dimensions are in millimetres. Weights are nominal and may vary slightly due to the casting process.

Standard Range – Bolt On		L	W	D	HC
MZ 1.8B		155	65	25	75
Zinc 1.8kg					
MZ 2.6N		160	80	40	215
Zinc 2.6kg					
MZ 3.5B		150	150	35	
Zinc 3.5kg					
MZ 2.2B		200	100	20	110
Zinc 2.2kg					
MZ 4B		200	100	35	110
Zinc 4kg					
MZ 6BS		200	100	40	110
Zinc 6kg					
MZ 5B		300	80	40	200
Zinc 5kg					
MZ 6BL		300	150	25	160
Zinc 6kg					
MZ 8B		300	150	30	160
Zinc 8kg					
MZ 10B		300	150	35	160
Zinc 10kg					
MZ 12B		300	150	40	160
Zinc 12kg					
MZ 9B		320	135	45	200
Zinc 9kg					
MZ 13B		450	105	60	228
Zinc 13kg					
Sacrificial Rod		Diameter 9-100mm Length 300mm-1m			
All	Zinc				

dimensions

are in millimetres. Weights are nominal and may vary slightly due to the casting process.

mob +64 21 0228 7651 ph +64 3 337 5792 fax +64 3 332 7670